

L1 ANSWER 2 OF 4 MEDLINE
 AN 2001646582 MEDLINE
 DN 21555855 PubMed ID: 11698102
 TI Regulation of Ins(1,4,5)P3 receptor isoforms by endogenous modulators.
 AU Thrower E C; Hagar R E; Ehrlich B E
 CS Dept of Pharmacology, Yale University, PO Box 208066, 333 Cedar Street,
 New Haven, CT 06520-8066, USA.. edwin.thrower@yale.edu
 NC GM63496 (NIGMS)
 SO TRENDS IN PHARMACOLOGICAL SCIENCES, (2001 Nov) 22 (11) 580-6. Ref: 59
 Journal code: 7906158. ISSN: 0165-6147.
 CY England: United Kingdom
 DT Journal; Article; (JOURNAL ARTICLE)
 General Review; (REVIEW)
 (REVIEW, TUTORIAL)
 LA English
 FS Priority Journals
 EM 200112
 ED Entered STN: 20011108
 Last Updated on STN: 20020123
 Entered Medline: 20011219
 AB Three isoforms of the inositol (1,4,5)-trisphosphate [Ins(1,4,5)P3]
 receptor have been identified. Each receptor isoform has been
functionally characterized using many **different**
 techniques. Although these receptor isoforms possess **high**
homology, interesting differences in their Ca²⁺ dependence,
 Ins(1,4,5)P3 sensitivity and subcellular distribution exist, implying
 distinct cellular roles. Indeed, interplay among the isoforms might be
 necessary for a cell to control spatial and temporal aspects of cytosolic
 Ca²⁺ signals, which are important for many cellular processes. In this
 review isoform-specific functions, primarily at the single-channel level,
 will be highlighted and these properties will be correlated with Ca²⁺
 signals in intact cells.

```
Db 23 CCCACTCCTGAGAGCAGCTGGCCGC----- 49
QY 51 ProHisAspProAlaAlaSerProGlyProCysProLeuGlyGlnLeuProAlaLeuArg 70
Db 50 AGCCATGACCCCGCAGCTTCTCCTGGCCCTGTCTCTGGGCCAGCTGCCCGCCCTGCAG 109
QY 71 TrpLysGluArgAlaProSerSerSerAspThrAlaProGlyAlaMetProSerLeuSer 90
Db 110 TGGGAAGGAAGGGCCCCCAGCAGCTCTGACACTGCCCCGGGTGCAATGCCGAGCCTCTCG 169
QY 91 ValProAspArgArgGlyLeuLeuLeuAspProAlaAlaCysSerLysLeuHisGlnPro 110
Db 170 GTACCCGATCGCCCGTGGATTGCTCCTGGACCCCTGCCGCCTGCTCCAAACTCCACCAGCCC 229
QY 111 ArgValLeuHisCysHisValGlnAlaArgHisGlyCysProGlyProGlnLeuAlaLeu 130
Db 230 CGTGTCTCTCATTGCCACGTACAGGCTCGGCATGGCTGCCCCGGGGCCACAGCTGGCCCTG 289
QY 131 ProAlaAlaAspAlaAsnValHisGlnLeuHisHisGlyCysProAlaValLeuHis 150
290 CCTGCAGCAGACGCCCAAGTCCACCAGCTGCACCATCACGGATGTCCAGCTGTTCTCCAT 349
QY 151 GlySerLeuArgAlaGlnCysHisArgArgProProLeuGlyLeuGlnGlnLeuArg 170
Db 350 GGCTCCCTACGTGCTCAATGTACCGCCGTCCACCCCTGGGGCTCCAGCAGCAGCTTCGT 409
QY 171 AlaPheHisAsnArgAlaHisHisGlnAlaArgProSerArgArgAlaProLysPro 190
Db 410 GCCTTTCATACAGACACATCATCAAGCCCGACCCCTCCAGAAGGCGTGGCCTTAAGCCC 469
QY 191 ProArg 192
Db 470 CCTCGC 475

RESULT 3
AR003351
LOCUS AR003351 1161 bp DNA linear PAT 04-DEC-1998
DEFINITION Sequence 5 from patent US 5744301.
ACCESSION AR003351
VERSION AR003351.1 GI:3964610
KEYWORDS
SOURCE Unknown.
ORGANISM Unknown.
REFERENCE 1 (bases 1 to 1161)
AUTHORS Birkenbach,M. and Kieff,E.
TITLE Methods of detection of Epstein barr virus induced genes expressed in the placenta
JOURNAL Patent: US 5744301-A 5 28-APR-1998;
FEATURES
source
1. .1161
/organism="unknown"

BASE COUNT 239 a 378 c 304 g 240 t
ORIGIN

Alignment Scores:
Pred. No.: 7.24e-23 Length: 1161
Score: 782.00 Matches: 140
Percent Similarity: 100.00% Conservative: 1
Best Local Similarity: 99.29% Mismatches: 0
Query Match: 73.50% Indels: 0
DB: 6 Gaps: 0

US-09-921-994-2 (1-192) x AR003351 (1-1161)

QY 52 HisAspProAlaAlaSerProGlyProCysProLeuGlyGlnLeuProAlaLeuArgTrp 71
Db 13 CATGACCCCGCAGCTTCTCCTGGCCCTGTCTCTGGGCCAGCTGCCCGCCCTGCAGTGG 72
QY 72 LysGluArgAlaProSerSerSerAspThrAlaProGlyAlaMetProSerLeuSerVal 91
Db 73 AAGGAAAGGGCCCCCAGCAGCTCTGACACTGCCCCGGGTGCAATGCCGAGCCTCTCGGTA 132

US-09-921-994-2 (1-192) x AR003351 (1-1161)

QY 52 HisAspProAlaAlaSerProGlyProCysProLeuGlyGlnLeuProAlaLeuArgTrp 71
Db 13 CATGACCCCGCAGCTTCTCCTGGCCCTGTCTCTGGGCCAGCTGCCCGCCCTGCAGTGG 72
QY 72 LysGluArgAlaProSerSerSerAspThrAlaProGlyAlaMetProSerLeuSerVal 91
Db 73 AAGGAAAGGGCCCCCAGCAGCTCTGACACTGCCCCGGGTGCAATGCCGAGCCTCTCGGTA 132
```

```
QY 92 ProAspArgArgGlyLeuLeuLeuAspProAlaAlaCysSerLysLeuHisGlnProArg 111
Db 133 CCCGATCGCCCTGGATTGCTCTGGACCCCTGCCGCTGCTCCAAACTCCACCAGCCCCGT 192
QY 112 ValLeuHisCysHisValGlnAlaArgHisGlyCysProGlyProGlnLeuAlaLeuPro 131
Db 193 GTCCTTCATTGCCACGTACAGGCTCGGCATGGCTGCCGGGGCCACAGCTGGCCCTGCCT 252
QY 132 AlaAlaAspAlaAsnValHisGlnLeuHisHisHisGlyCysProAlaValLeuHisGly 151
Db 253 GCAGCAGACGCCCAACGTCCACCAGCTGCACCATCACGGATGTCCAGCTGTCTCCATGGC 312
QY 152 SerLeuArgAlaGlnCysHisArgArgProProLeuGlyLeuGlnGlnLeuArgAla 171
Db 313 TCCCTACGTGCTCAATGTACCCCGCTCCACCCCTGGGGCTCCAGCAGCAGCTTCGTGCC 372
QY 172 PheHisAsnArgAlaHisHisGlnAlaArgProSerArgArgAlaProLysProPro 191
Db 373 TTTTCATAACAGAGCACATCATCAAGCCCGACCCCTCCAGAAGGCGTGGCCCTAAGCCCCCT 432
QY 192 Arg 192
Db 433 CGC 435

RESULT 4
AR050784
LOCUS AR050784 1161 bp DNA linear PAT 29-SEP-1999
DEFINITION Sequence 1 from patent US 5830451.
ACCESSION AR050784
VERSION AR050784.1 GI:5974148
KEYWORDS
SOURCE Unknown.
ORGANISM Unknown.
REFERENCE 1 (bases 1 to 1161)
AUTHORS Devergne,O. and Kieff,E.D.
TITLE Haematopoietic cytokine Epstein Barr virus-induced protein
JOURNAL Patent: US 5830451-A 1 03-NOV-1998;
FEATURES
source
1. .1161
/organism="unknown"

BASE COUNT 239 a 378 c 304 g 240 t
ORIGIN

Alignment Scores:
Pred. No.: 7.24e-23 Length: 1161
Score: 782.00 Matches: 140
Percent Similarity: 100.00% Conservative: 1
Best Local Similarity: 99.29% Mismatches: 0
Query Match: 73.50% Indels: 0
DB: 6 Gaps: 0

US-09-921-994-2 (1-192) x AR050784 (1-1161)

QY 52 HisAspProAlaAlaSerProGlyProCysProLeuGlyGlnLeuProAlaLeuArgTrp 71
Db 13 CATGACCCCGCAGCTTCTCCTGGCCCTGTCTCTGGGCCAGCTGCCCGCCCTGCAGTGG 72
QY 72 LysGluArgAlaProSerSerSerAspThrAlaProGlyAlaMetProSerLeuSerVal 91
Db 73 AAGGAAAGGGCCCCCAGCAGCTCTGACACTGCCCCGGGTGCAATGCCGAGCCTCTCGGTA 132
QY 92 ProAspArgArgGlyLeuLeuLeuAspProAlaAlaCysSerLysLeuHisGlnProArg 111
Db 133 CCCGATCGCCCTGGATTGCTCTGGACCCCTGCCGCTGCTCCAAACTCCACCAGCCCCGT 192
QY 112 ValLeuHisCysHisValGlnAlaArgHisGlyCysProGlyProGlnLeuAlaLeuPro 131
Db 193 GTCCTTCATTGCCACGTACAGGCTCGGCATGGCTGCCGGGGCCACAGCTGGCCCTGCCT 252
QY 132 AlaAlaAspAlaAsnValHisGlnLeuHisHisHisGlyCysProAlaValLeuHisGly 151
Db 253 GCAGCAGACGCCCAACGTCCACCAGCTGCACCATCACGGATGTCCAGCTGTCTCCATGGC 312
```

73 AAGGAAGGGCCCCCAGCAGCTCTGACACTGCCCCGGGTGCAATGCCGAGCCTCTCGGTA 132
290 CCCGATCGCCCGTGGATTGCTCTGACCCCTGCGGCTGCTCCAAACTCCACCAGCCCGT 349
133 CCCGATCGCCCGTGGATTGCTCTGACCCCTGCGGCTGCTCCAAACTCCACCAGCCCGT 192
350 GTCCTTCAATGCCACGTACAGGCTCGGCATGCTGCCCGGGCCACAGCTGGCCTTGCCT 409
193 GTCCTTCAATGCCACGTACAGGCTCGGCATGCTGCCCGGGCCACAGCTGGCCTTGCCT 252
410 GCAGCAGACGCCCAACGTCCACCAGCTGCACCATCACGGATGTCCAGCTGTTCTCCATGGC 469
253 GCAGCAGACGCCCAACGTCCACCAGCTGCACCATCACGGATGTCCAGCTGTTCTCCATGGC 312
470 TCCCTACGTGCTCAATGTCAACCGCGTCCGCCCTCGGGGCTCCAGCAGCAGCTTCCGTGCC 529
313 TCCCTACGTGCTCAATGTCAACCGCGTCCGCCCTCGGGGCTCCAGCAGCAGCTTCCGTGCC 372
530 TTTTATAACAGACACATCATCAAGCCCGGACCTCCAGAGCGGTGCGCCTAAGCCCCCT 589
73 TTTTATAACAGACACATCATCAAGCCCGGACCTCCAGAGCGGTGCGCCTAAGCCCCCT 432
590 CGCTGAGCGCCAGCTACAGGTGCAGTGGGAGCCTCCCGGCTGCTGGCCCTTCCAGAGAT 649
433 CGCTGAGCGCCAGCTACAGGTGCAGTGGGAGCCTCCCGGCTGCTGGCCCTTCCAGAGAT 492
650 CTTCTCACTGAAGTACTGGATCCGTTACAAAGCGTCAGGGAGTGCAGCGCTTCCACCGGGT 709
493 CTTCTCACTGAAGTACTGGATCCGTTACAAAGCGTCAGGGAGTGCAGCGCTTCCACCGGGT 552
710 GGGGCCCATTTGAAGCCACGTCCTTCACTCAGGGCTGTGCGGCCCGGAGCCAGGTACTA 769
553 GGGGCCCATTTGAAGCCACGTCCTTCACTCAGGGCTGTGCGGCCCGGAGCCAGGTACTA 612
770 CGTCCAAGTGGCGGCTCAGGACCTCACAGACTACGGGAACTAGTACTGGAGTCTCCC 829
613 CGTCCAAGTGGCGGCTCAGGACCTCACAGACTACGGGAACTAGTACTGGAGTCTCCC 672
830 CGCCACTGCCACAATGAGCCTGGGCAAGTAG 860
673 CGCCACTGCCACAATGAGCCTGGGCAAGTAG 703

RESULT 5
LOCUS HUMEBI3X 1161 bp mRNA linear PRI 01-APR-1996
DEFINITION Human cytokine receptor (EBI3) mRNA, complete cds.
ACCESSION L08187
VERSION L08187.1 GI:632973
KEYWORDS cytokine receptor.
SOURCE Homo sapiens cDNA to mRNA.
ORGANISM Homo sapiens
REFERENCE 1 (bases 1 to 1161)
AUTHORS Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
TITLE A novel interleukin-12 p40-related protein induced by latent Epstein-Barr virus infection in B lymphocytes
JOURNAL J. Virol. 70 (2), 1143-1153 (1996)
MEDLINE 96135230
PUBMED 8551575
COMMENT On Jan 24, 1995 this sequence version replaced gi:181921.
FEATURES
source
/organism="Homo sapiens"
/db_xref="taxon:9606"
/cell_line="BL41/B95-8"
/cell_type="B lymphocyte, EBV-converted Burkitt lymphoma"
1. .1161
/gene="EBI3"
14. .703
/gene="EBI3"

QY 290 CCCGATCGCCCGTGGATTGCTCTGACCCCTGCGGCTGCTCCAAACTCCACCAGCCCGT 149
Db 173 CCCGATCGCCCGTGGATTGCTCTGACCCCTGCGGCTGCTCCAAACTCCACCAGCCCGT 212
QY 350 GTCCTTCAATGCCACGTACAGGCTCGGCATGCTGCCCGGGCCACAGCTGGCCTTGCCT 409
Db 233 GTCCTTCAATGCCACGTACAGGCTCGGCATGCTGCCCGGGCCACAGCTGGCCTTGCCT 292
QY 410 GCAGCAGACGCCCAACGTCCACCAGCTGCACCATCACGGATGTCCAGCTGTTCTCCATGGC 469
Db 293 GCAGCAGACGCCCAACGTCCACCAGCTGCACCATCACGGATGTCCAGCTGTTCTCCATGGC 352
QY 470 TCCCTACGTGCTCAATGTCAACCGCGTCCGCCCTCGGGGCTCCAGCAGCAGCTTCCGTGCC 529
Db 353 TCCCTACGTGCTCAATGTCAACCGCGTCCGCCCTCGGGGCTCCAGCAGCAGCTTCCGTGCC 412
QY 530 TTTTATAACAGACACATCATCAAGCCCGGACCTCCAGAGCGGTGCGCCTAAGCCCCCT 589
Db 413 TTTTATAACAGACACATCATCAAGCCCGGACCTCCAGAGCGGTGCGCCTAAGCCCCCT 472
QY 590 CGCTGAGCGCCAGCTACAGGTGCAGTGGGAGCCTCCCGGCTGCTGGCCCTTCCAGAGAT 649
Db 473 CGCTGAGCGCCAGCTACAGGTGCAGTGGGAGCCTCCCGGCTGCTGGCCCTTCCAGAGAT 532
QY 650 CTTCTCACTGAAGTACTGGATCCGTTACAAAGCGTCAGGGAGTGCAGCGCTTCCACCGGGT 709
Db 533 CTTCTCACTGAAGTACTGGATCCGTTACAAAGCGTCAGGGAGTGCAGCGCTTCCACCGGGT 592
QY 710 GGGGCCCATTTGAAGCCACGTCCTTCACTCAGGGCTGTGCGGCCCGGAGCCAGGTACTA 769
Db 593 GGGGCCCATTTGAAGCCACGTCCTTCACTCAGGGCTGTGCGGCCCGGAGCCAGGTACTA 652
QY 770 CGTCCAAGTGGCGGCTCAGGACCTCACAGACTACGGGAACTAGTACTGGAGTCTCCC 829
Db 653 CGTCCAAGTGGCGGCTCAGGACCTCACAGACTACGGGAACTAGTACTGGAGTCTCCC 712
QY 830 CGCCACTGCCACAATGAGCCTGGGCAAGTAG 860
Db 713 CGCCACTGCCACAATGAGCCTGGGCAAGTAG 743

RESULT 4
LOCUS AR003351 1161 bp DNA linear PAT 04-DEC-1998
DEFINITION Sequence 5 from patent US 5744301.
ACCESSION AR003351
VERSION AR003351.1 GI:3964610
KEYWORDS
SOURCE Unknown.
ORGANISM Unknown.
REFERENCE 1 (bases 1 to 1161)
AUTHORS Birkenbach, M. and Kieff, E.
TITLE Methods of detection of Epstein Barr virus induced genes expressed in the placenta
JOURNAL Patent: US 5744301-A 5 28-APR-1998;
FEATURES Location/Qualifiers
source
1. .1161
BASE COUNT 239 a 378 c 304 g 240 t
ORIGIN
Query Match 78.7%; Score 683; DB 6; Length 1161;
Best Local Similarity 99.3%; Pred. No. 9e-128;
Matches 686; Conservative 0; Mismatches 5; Indels 0; Gaps 0;
QY 170 CATGACCCCGCAGCTTCTCTGCGCCCTTGTCTCTGGGCCAGCTGCCCGCCCTGCGGTGG 229
Db 13 CATGACCCCGCAGCTTCTCTGCGCCCTTGTCTCTGGGCCAGCTGCCCGCCCTGCGGTGG 72
QY 230 AAGGAAGGGCCCCCAGCAGCTCTGACACTGCCCCGGGTGCAATGCCGAGCCTCTCGGTA 289
|||||